| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|----------|-------|--|---|---------------------|---------|------------------|
| L1 | 3415 | Knowledge adj1 base | USPAT | OR | OFF | 2007/03/23 15:39 |
| L2 | 100 | 1 and config\$5 near3 server | USPAT | OR | OFF | 2007/03/23 15:40 |
| L3 | 29 | 2 and (select\$5 cho\$5) near4 (config\$5 servic\$5 port role funct\$5) near5 (computer machine system web messag\$4 print\$5 server) | USPAT | OR | OFF | 2007/03/23 15:36 |
| L4 | 41 | 2 and (select\$5 cho\$5 identif\$7) near4 (config\$5 servic\$5 port role funct\$5) near5 (computer machine system web messag\$4 print\$5 server) | USPAT | OR | OFF | 2007/03/23 16:49 |
| L5 | 41 | 2 and (select\$5 cho\$5 identif\$7) near4 (config\$5 servic\$5 port role funct\$5) near5 (computer machine system web messag\$4 print\$5 server) | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2007/03/23 15:41 |
| L6 | 10475 | Knowledge adj1 base | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/03/23 17:20 |
| L7 | 100 | 6 and config\$5 near3 server | USPAT | OR | OFF | 2007/03/23 16:33 |
| L8 | 325 | 6 and config\$5 near3 server | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/03/23 15:40 |
| L9 | 128 | 8 and (select\$5 cho\$5 identif\$7) near4 (config\$5 servic\$5 port role funct\$5) near5 (computer machine system web messag\$4 print\$5 server) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/03/23 16:04 |
| L10 | 6 | 9 and (select\$5 cho\$5 identif\$7 config\$6) near4 (servic\$5 role funct\$5 server) near5 port | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/03/23 15:44 |
| L11 | 19 | 9 and (select\$5 cho\$5 identif\$7 activ\$5 associt\$5) near4 port | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/03/23 16:48 |
| L12 | 19 | 9 and (select\$5 cho\$5 identif\$7 activ\$5 associt\$5 web messag\$5 ftp print\$4 file) near4 port | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/03/23 15:54 |
| L13 | 40 | 9 and (select\$5 cho\$5 identif\$7 activ\$5 associt\$5 web messag\$5 ftp print\$4 file) near4 knowledge | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/03/23 16:05 |

| L14 | 23 | 9 and (select\$5 cho\$5 identif\$7 activ\$5 associt\$5 web messag\$5 ftp print\$4 file http smtp protocol servic\$3) near4 port | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/03/23 16:39 |
|-----|-------|--|---|----|-------|------------------|
| L15 | 13884 | 709/220-223,229,230.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/03/23 16:03 |
| L16 | 2169 | 15 and (select\$5 cho\$5 identif\$7) near4 (config\$5 servic\$5 port role funct\$5) near5 (computer machine system server) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/03/23 16:13 |
| L17 | 26 | 16 and (select\$5 cho\$5 identif\$7 activ\$5 associt\$5 web messag\$5 ftp print\$4 file) near4 knowledge near2 bas\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/03/23 16:06 |
| L18 | 34 | 16 and (select\$5 cho\$5 identif\$7 activ\$5 associt\$5 web messag\$5 ftp print\$4 file information config\$5 role profile) near4 knowledge near2 bas\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/03/23 16:12 |
| L19 | 8 | 18 and (select\$5 cho\$5 identif\$7 activ\$5 associt\$5 web messag\$5 ftp print\$4 file http smtp protocol servic\$3) near4 port | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/03/23 16:08 |
| L20 | 34 | 16 and (select\$5 cho\$5 identif\$7 activ\$5 associt\$5 web messag\$5 ftp print\$4 file information config\$5 role profile port parameter config\$6) near4 knowledge near2 bas\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/03/23 17:04 |
| L21 | 30 | 20 and (config\$5 servic\$5 port role funct\$5 file ftp smtp web print\$3 secur\$3 domain dns) near3 server | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/03/23 16:26 |
| L22 | 26 | 20 and (administr\$6 user expert\$5 techni\$5) near5 (provid\$5 selec\$5 presen\$4 intefac\$5 config\$5 servic\$5 port role funct\$5 file ftp smtp web print\$3 secur\$3 domain instal\$5) near3 (config\$5 role function port servic\$4 server) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/03/23 16:27 |
| L23 | 4 | 14 and 21 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF . | 2007/03/23 16:26 |

| L24 | 19 | 14 and (administr\$6 user expert\$5 techni\$5) near5 (provid\$5 selec\$5 presen\$4 intefac\$5 config\$5 servic\$5 port role funct\$5 file ftp smtp web print\$3 secur\$3 domain instal\$5) near3 (config\$5 role function port servic\$4 server) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/03/23 17:02 |
|-----|-----|--|---|------|-----|------------------|
| L25 | 9 | 6 same (configuire configuiring configuration) near2 server | USPAT | OR | OFF | 2007/03/23 16:35 |
| L26 | 22 | 6 same (configuire configuiring configuration) near2 server | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/03/23 16:51 |
| L27 | 5 | 26 and (select\$5 cho\$5 identif\$7 activ\$5 associt\$5 web messag\$5 ftp print\$4 file http smtp protocol servic\$3) near4 port | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/03/23 16:43 |
| L28 | 4 | 9 and (select\$5 cho\$5 identif\$7 activ\$5 associt\$5) near4 role near2 server | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/03/23 16:48 |
| L29 | 0 | 26 and (select\$5 cho\$5 identif\$7 designat\$4) near4 (servic\$5 role funct\$5) near3 server | USPAT | OR . | OFF | 2007/03/23 16:51 |
| L30 | 8 | 8 and (select\$5 cho\$5 identif\$7 designat\$4) near4 (servic\$5 role funct\$5) near3 server | USPAT | OR | OFF | 2007/03/23 17:07 |
| L31 | . 8 | 30 and (configuire configuiring configuration port type print\$5 file web messag\$4 smtp ftp http) near5 server | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/03/23 16:55 |
| L32 | 8 | 30 and (configuire configuiring configuration port type print\$5 file web messag\$4 smtp ftp http) near5 (information table database list\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/03/23 16:57 |
| L33 | 118 | 9 and (configuire configuiring configuration port type print\$5 file web messag\$4 smtp ftp http) near5 (information table database list\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/03/23 16:57 |
| L34 | 23 | 33 and (servic\$5 role funct\$5) near3 server | USPAT | OR | OFF | 2007/03/23 16:58 |
| L35 | 31 | 33 and (servic\$5 role funct\$5 print file web http smpt ftp messging) near3 server | USPAT | OR | OFF | 2007/03/23 16:59 |
| L36 | 102 | 33 and (servic\$5 role funct\$5 print file web http smpt ftp messging) near3 server | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2007/03/23 17:01 |

| L37 | 87 | 36 and (administr\$6 user expert\$5 techni\$5) near5 (provid\$5 selec\$5 presen\$4 intefac\$5 config\$5 servic\$5 port role funct\$5 file ftp smtp web print\$3 secur\$3 domain instal\$5) near3 (config\$5 role | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/03/23 17:30 |
|-----|-----------|--|---|----|------|------------------|
| L38 | 28 | function port servic\$4 server) 37 and (select\$5 cho\$5 identif\$7 activ\$5 associt\$5 web messag\$5 ftp print\$4 file information config\$5 role profile port parameter config\$6 interfac\$4 perform\$5) near4 knowledge adj2 bas\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/03/23 17:19 |
| L39 | | 38 and (select\$5 cho\$5 identif\$7 designat\$4) near4 (servic\$5 role funct\$5 assign\$3 play\$5 perform\$5) near3 server | USPAT | OR | OFF | 2007/03/23 17:08 |
| L40 | 9 | 38 and (select\$5 cho\$5 identif\$7 designat\$4) near4 (servic\$5 role funct\$5 assign\$3 play\$5 perform\$5) near3 server | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/03/23 17:14 |
| L41 | 14 | 38 and (select\$5 cho\$5 identif\$7 designat\$4) near4 (servic\$5 role funct\$5 assign\$3 play\$5 perform\$5) near3 server | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON . | 2007/03/23 17:12 |
| L42 | 692 | (defin\$3 specif\$6 identif\$7 designat\$4) near4 (servic\$5 role funct\$5) near3 server near3 (assign\$3 play\$5 perform\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2007/03/23 17:21 |
| L43 | 71 | 42 and (select\$5 cho\$5) near3 (defin\$3 specif\$6 identif\$7 designat\$4) near4 (port servic\$3 function role) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/03/23 17:15 |
| L44 | 44 | 43 and (web print\$5 file smtp messging) near3 (server port service function role) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/03/23 17:16 |
| L45 | 3 | 44 and Knowledge adj1 base | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/03/23 17:17 |
| L46 | 3 | 42 and (select\$5 cho\$5 identif\$7 activ\$5 associt\$5 web messag\$5 ftp print\$4 file information config\$5 role profile port parameter config\$6 interfac\$4 perform\$5) near4 knowledge adj2 bas\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/03/23 17:20 |

| L47 | 4327 | (Knowledge adj1 base).ab. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/03/23 17:20 |
|-----|------|--|---|---------|-------|------------------|
| L48 | 1432 | (Knowledge adj1 base).clm. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/03/23 18:37 |
| L49 | 5073 | 47 48 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF · | 2007/03/23 17:21 |
| L50 | 19 | 49 and (defin\$3 specif\$6 identif\$7 designat\$4) near4 (servic\$5 role funct\$5) near3 server | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2007/03/23 17:22 |
| L51 | . 47 | 49 and (defin\$3 specif\$6 identif\$7 designat\$4) near4 (config\$6 act perform print web messaging smpt port servic\$5 role funct\$5) near3 server | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2007/03/23 17:28 |
| L52 | 47 | 51 and (knowledge administr\$6 user expert\$5 techni\$5) near5 (information table provid\$5 selec\$5 presen\$4 interfac\$5 config\$7 servic\$5 port role funct\$5 file ftp smtp web print\$3 secur\$3 domain instal\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/03/23 17:43 |
| L53 | 17 | 52 and (knowledge administr\$6 user expert\$5 techni\$5 information table provid\$5 selec\$5 presen\$4 interfac\$5 config\$7 servic\$5 port role funct\$5 file ftp smtp web print\$3 secur\$3 domain instal\$5) near3 port | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/03/23 17:56 |
| L54 | 28 | 52 and (determin\$5 retriev\$5 obtain\$5) near3 (servic\$5 port role funct\$5 file ftp smtp configuir\$5 operating) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/03/23 18:50 |
| L55 | 33 | 52 and (selec\$5 cho\$5 determin\$5 retriev\$5 obtain\$5) near3 (servic\$5 port role funct\$5 file ftp smtp configuir\$5 operating) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR · | OFF | 2007/03/23 18:29 |
| L56 | 890 | print adj1 server same (web file messaging smtp http) near3 server | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/03/23 18:33 |

| | | | | | | |
|-----|-----|---|---|-------------|-------------|--------------------|
| L57 | 568 | 56 and (role function servic\$3 identif\$3 specif\$5 defin\$5) near5 server | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF . | 2007/03/23 18:46 |
| L58 | 33 | 57 and config\$6 near3 (role function servic\$3 identif\$3 specif\$5 defin\$5) near5 (server print adj1 server (web file messaging smtp http) near3 server) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/03/23 18:48 |
| L59 | , 1 | 58 and (Knowledge adj1 base).clm. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/03/23 18:38 |
| L60 | 1 | 58 and Knowledge near2 (database collection exper\$5 base) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | . 2007/03/23 18:38 |
| L61 | 15 | 57 and Knowledge near2 (database collection exper\$5 base) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2007/03/23 19:00 |
| L62 | 3 | 61 and config\$6 near3 (file profile data content role function servic\$3 identif\$3 specif\$5 defin\$5) near5 (server print adj1 server (web file messaging smtp http) near3 server) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/03/23 18:40 |
| L63 | 8 | 61 and config\$6 near5 (server print adj1 server (web file messaging smtp http) near3 server) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/03/23 18:40 |
| L64 | 8 | 61 and config\$6 near3 (file profile data content role function servic\$3 identif\$3 specif\$5 defin\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/03/23 18:40 |
| L65 | 9 | 61 and config\$6 near5 (file profile data content role function servic\$3 identif\$3 specif\$5 defin\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/03/23 18:40 |
| L66 | 9 | 61 and config\$6 near5 (file profile data content role function servic\$3 identif\$3 specif\$5 defin\$5 server port servic\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR . | OFF | 2007/03/23 18:41 |
| L67 | 11 | 57 and (role function servic\$3 identif\$3 specif\$5 defin\$5 service server web mail\$4) near5 associat\$5 near3 port | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/03/23 18:47 |

| LCO | 207 | E7 and confight name (male for all a | LIC DCDUD | OB | ٥٢٢ | 2007/02/22 40:04 |
|-----|-----|---|---|----|------|------------------|
| L68 | 207 | 57 and config\$6 near3 (role function servic\$3 identif\$3 specif\$5 defin\$5 server print adj1 server (web file messaging smtp http) near3 server) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/03/23 19:04 |
| L69 | 9 | 68 and (determin\$5 retriev\$5 obtain\$5) near3 (servic\$5 port role funct\$5 file ftp smtp configuir\$5 operating) near5 (profile database knowledg\$5 exper\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/03/23 18:52 |
| L70 | 28 | 68 and (determin\$5 retriev\$5 obtain\$5) near3 port | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/03/23 18:52 |
| L71 | 37 | 68 and (determin\$5 retriev\$5 obtain\$5) near5 port | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/03/23 18:52 |
| L72 | 39 | 68 and (determin\$5 retriev\$5 obtain\$5 config\$6 knowledge) near5 port | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/03/23 18:53 |
| L73 | 38 | 72 and (determin\$5 retriev\$5 obtain\$5 config\$6 knowledge select\$5 identif\$6 option menu intefac\$4 input\$5) near5 (admin administr\$5 user tech\$5 IT exper\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/03/23 18:55 |
| L74 | 38 | 72 and (determin\$5 retriev\$5 obtain\$5 config\$6 knowledge select\$5 identif\$6 option menu intefac\$4 input\$5 servic\$3) near5 (activat\$5 admin administr\$5 user tech\$5 IT exper\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/03/23 18:56 |
| L75 | 38 | 72 and (determin\$5 retriev\$5 obtain\$5 config\$6 knowledge select\$5 identif\$6 option menu intefac\$4 input\$5 servic\$3 port) near5 (activat\$5 admin administr\$5 user tech\$5 IT exper\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2007/03/23 18:56 |
| L76 | 39 | 72 and (determin\$5 retriev\$5 obtain\$5 config\$6 knowledge select\$5 identif\$6 option menu intefac\$4 input\$5 servic\$3 port) near5 (activat\$5 admin administr\$5 user tech\$5 IT exper\$5 enabl\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON . | 2007/03/23 18:56 |
| L77 | 1 | 76 and Knowledge near2 (database collection exper\$5 base) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2007/03/23 19:08 |

| | | | • | | | • |
|-----|-----|--|---|----|-----|------------------|
| L78 | 18 | 76 and Knowledge | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2007/03/23 19:00 |
| L79 | 31 | 68 and servic\$3 near5 port | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/03/23 19:06 |
| L80 | 207 | 57 and config\$6 near3 (role function servic\$3 identif\$3 specif\$5 defin\$5 server print adj1 server web near2 server file adj1 server messaging adj1 server smtp adj1 server http neae2 server) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/03/23 19:05 |
| L81 | 206 | 80 and (role function servic\$3 identif\$3 specif\$5 defin\$5) near4 (server print adj1 server web near2 server file adj1 server messaging adj1 server smtp adj1 server http neae2 server) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/03/23 19:06 |
| L82 | 31 | 81 and servic\$3 near5 port | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/03/23 19:06 |
| L83 | 92 | 81 and (activ\$5 select\$4 conifig\$5 specif\$3 identif\$5) near3 (servic\$3 role port function) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/03/23 19:10 |
| L84 | . 8 | 83 and Knowledge near2 (database collection exper\$5 base information table list\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2007/03/23 19:11 |
| L85 | 17 | 83 and Knowledge | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2007/03/23 19:09 |
| L86 | 138 | 81 and (activ\$5 select\$4 conifig\$5 specif\$3 identif\$5 enabl\$3 star\$3 load\$4 obtain\$3 retri\$5) near3 (servic\$3 role port function) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/03/23 19:10 |
| L87 | 117 | 86 and (activ\$5 select\$4 conifig\$5 specif\$3 identif\$5 enabl\$3 star\$3 load\$4 obtain\$3 retri\$5) near3 (Knowledge database collection exper\$5 base information table list\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2007/03/23 19:13 |
| L88 | 72 | 86 and (activ\$5 select\$4 conifig\$5 specif\$3 identif\$5 enabl\$3 star\$3 load\$4 obtain\$3 retri\$5) near3 configuration | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2007/03/23 19:13 |

| L89 | 81 | 86 and config\$7 near3 (Knowledge database collection exper\$5 base information table list\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2007/03/23 19:14 |
|-----|----|--|---|----|----|------------------|
| L90 | 49 | 88 and 89 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2007/03/23 19:14 |

3/23/2007 7:28:20 PM